



TS 4.2 Registered laboratory

CI000016
United Registrar of System GmbH

3, Ovidiopolska doroga, 65036, Odesa, Ukraine
Registration number GMP+: **GMP061655**

The Certification Body United Registrar of System GmbH states that GMP+ Certified Company

SC AGMINTEST

was audited in accordance with the applicable requirements of the TS 4.2 Registered laboratory and CR 3.0 Assessment and Certification - additional scopes of GMP+ International B.V. in Rijswijk, The Netherlands.

The Certification Body United Registrar of System GmbH states, based on a desk study, that the performance criteria as mentioned in the TS 4.2 Registered laboratory are met for the following analyses:

Certificate number:	013992-01629
Start date:	09.12.2024
End date:	08.12.2027

On behalf of the certification body:



United Registrar of Systems GmbH, Penthouse Office Center, Hertha-Lindner
Str. 10 – 12, 01067, Dresden, Germany E: info@urs.holdings GMP+LAB-PEN
Protocol for Registered laboratory shp20241101.6 You can verify the validity of
this certificate using a QR code.





Number	Operation	Material/Matrix		
		Feed material	Feed additives and premixtures	Feed (compound feed and complementary feed)
1. Mycotoxins				
1.01	Aflatoxin B1	<input checked="" type="checkbox"/>	Not possible	<input checked="" type="checkbox"/>
2. Dioxins/PCBs				
2.01	Sum of dioxins and dioxin-like PCBs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.02	Dioxins	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.03	Dioxin-like PCBs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.04	Non-dioxin-like PCBs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Heavy metals				
3.01	Arsenic	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3.02	Lead	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3.03	Cadmium	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3.04	Mercury	<input checked="" type="checkbox"/>	Not possible	<input checked="" type="checkbox"/>
3.05	Fluorine	<input type="checkbox"/>	Not possible	<input type="checkbox"/>
4. Pesticides				
4.01	Pesticides	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Date of audit: 06.11.2024

Certificate number:	013992-01629
Start date:	09.12.2024
End date:	08.12.2027

On behalf of the certification body:



United Registrar of Systems GmbH, Penthouse Office Center, Hertha-Lindner
Str. 10 – 12, 01067, Dresden, Germany E: info@urs.holdings GMP+LAB-PEN
Protocol for Registered laboratory shp20241101.6 You can verify the validity of
this certificate using a QR code.

